

HYMAX GRIP®

Wide-Range Restraint Solutions




















Nuts & Bolts

AISI 304 or 316 Stainless Steel Rolled Thread with Anti-galling Coating

End Ring

1.5" – 3" - Cast Steel 4" – 12" - Ductile Iron Casting 14", 16" - Cast Steel

Coating

100% Fusion Bonded Epoxy For Enhanced Corrosion Protection

Spherical SpacerAISI 304 or 316 Stainless Steel

HYMAX GRIP® PRODUCT PORTFOLIO



HYMAX GRIP COUPLING RESTRAINT

Nominal pipe size 1.5" - 12"



HYMAX GRIP FLANGE ADAPTOR

Nominal pipe size 1.5'' - 12''



HYMAX GRIP END CAP

Nominal pipe size 1.5" - 12"



HYMAX GRIP REDUCER

Nominal pipe size 1.5" - 12"



HYMAX GRIP CATHODIC

Nominal pipe size 1.5" - 12"



HYMAX GRIP ELBOW

Nominal pipe size $4''-12'' 45^{\circ} & 90^{\circ}$



HYMAX GRIP LARGE DIAMETER

Nominal pipe size 14", 16"



HYMAX GRIP SWIVELJOINT

Nominal pipe size 4" - 12"



HYMAX GRIP MJ CUT-IN SLEEVE

Nominal pipe size 3'' - 12''



HYMAX GRIP FLANGE ADAPTOR WITH CATHODIC PROTECTION

Nominal pipe size 4'' - 12''



HYMAX GRIP FLANGE ADAPTOR (ROUND FLANGE)

Nominal pipe size 1.5" - 3"



HYMAX GRIP FLANGE ADAPTOR (OVAL FLANGE)

Nominal pipe size 1.5"/2", 2.5"

THE HYMAX GRIP® FAMILY FEATURES



EASE OF USE

- Ready to use, stab-fit design features top-facing bolts for quick and easy installation, reducing time in the ditch and improving worker safety.
- Comfortably slides over the pipe before final positioning.



MULTIPLE APPLICATIONS

- Suits a wide range of pipe diameters, replacing the need to use dedicated products and thus reducing inventory costs and saving shelf space.
- The HYMAX GRIP fits different types of plastic and metal pipes and allows transition capability of up to 1.1".



UNMATCHED PERFORMANCE

- Patented pipe grip universal gripping system designed to restrain metal and plastic pipes.
- The unique patented radial closing mechanism holds pipes tightly in place during installation, allowing full control over the gap between pipes.
- The patented GRIP chain offers circular restraint around the pipe, unlike typical wedge style restraints that point-load the pipe.
- As the pipe applies axial pressure, the GRIP chain increasingly tightens over the pipe, preventing pullout.



EXTREMELY DURABLE DESIGN


- High-quality sealing solution Patented hydraulically-assisted gasket features two-stage sealing: mechanical sealing that is effective under vacuum or non-pressure and self-inflated gasket using water pressure.
- Advanced molecular anti-galling (MAG) on nuts and bolts, prevents galling and enables repeated bolt tightening; it also eliminates the need for grease, preventing dust and dirt build-up.
- Fusion-bonded epoxy coating enables an insulated product and prevents corrosion.
- Innovative radial closing design and sealing systems eliminate installation errors.



FLEXIBLE CONNECTION

- Allows up to 4° angular deflection on each end.
- Absorbs post-installation dynamic pipe deflection of up to 4° on each end, reducing the risk of damage and cracking due to ground shifts and temperature changes.
- Adapts to out-of-round pipe shape (up to 0.16"), for optimum fit on both ends.

ADDRESSING THE COMPLETE RANGE OF PIPE TYPES



THE HYMAX GRIP PROVIDES THE BEST JOIN AND RESTRAINT SOLUTION FOR:

- Section replacement near angle, T or dead-ends
- Replacing old restraint section/product
- Dead-end pressure testing
- A restraint system currently in use or being installed

About HYMAX®

HYMAX, a Mueller brand, develops, designs, and manufactures market-leading products for repairing and connecting different types of pipes for both potable water and sewage. In more than 160 years of combined industry leadership with Mueller, and millions of installations worldwide, HYMAX has earned solid reputations for providing innovative, high-quality products, that meet installers' field needs

HYMAX offers a full line of solutions, including standard products that range from 1.5″ to 85″ and custom-made products according to customers' requirements. The wide-range coupling introduced unprecedented ease of use, with a radial closing mechanism of only 2 - 4 top-facing bolts, enabling faster and safer installation.

Our company is built by industry experts with extensive field experience. Therefore, we can better understand the challenges of the installer and provide real solutions. The HYMAX product line saves costs by reducing inventory and providing long lasting value. Offering extreme durability and outstanding connection flexibility, these products prevent future pipe damage, delivering long-lasting value.

For more information about us or to view our full line of water products, please visit HymaxUSA.com or call HYMAX customer service at 855.457.2879.

Mueller refers to one or more of Mueller Water Products, Inc., a Delaware corporation ("MWP"), and its subsidiaries. MWP and each of its subsidiaries are legally separate and independent entities when providing products and services. MWP does not provide products or services to third parties. MWP and each of its subsidiaries are liable only for their own acts and omissions and not those of each other. MWP brands include Mueller® Echologics® Hydro Gate® Hydro-Guard® HYMAX® Krausz® Jones® Mi Net® Milliken® Pratt® Pratt Industrial® Singer® and ILS. Pine Valve & Hydrant Please see muellerwo com/brands to learn more

© 2021 Mueller Co., LLC. All Rights Reserved. The trademarks, logos and service marks displayed in this document are the property of Mueller Co., LLC., its affiliates or other third parties. Products above marked with a section symbol (§) are subject to patents or patent applications. For details, visit www.mwppat.com. These products are intended for use in potable water applications. Please contact your Mueller Sales or Customer Service Representative concerning any other application(s).



^{*}Except sizes 14" and 16"

^{**}For HDPE, pipe stiffeners or inserts are required

^{***304 &}amp; 316 stainless steel, SCH 10 and higher